

STANDARD PRODUCTS

Price list 2012



bonetti rubinetterie valduggia s.r.l.

Loc. Molino Rastelli, 2 | IT-13018 Valduggia (VC) | Tel. +39 0163 48062 | Fax +39 0163 48188
<http://www.br.v.it> | e-mail: info@br.v.it | ISO 9001:2008 Cert. No. 0853/4

rev.: 05/04/2012

**BALL VALVES****Art. 510**

F/F full port ball valve with steel handle PVC covered
PN 30. Max temperature 150°C.

Dimension	Code	Price	s. box	m. cart.
1/4"	00510	€5,30	20	240
3/8"	01510	€5,03	20	240
1/2"	02510	€5,82	14	168
3/4"	03510	€7,96	14	126
1"	04510	€11,87	8	48
1"1/4	05510	€18,15	6	36
1"1/2	06510	€30,60	4	24
2"	07510	€47,95	2	16
2"1/2	08510	€94,31	1	8
3"	09510	€132,25	1	6
4"	0A510	€221,96	1	4

**BALL VALVES****Art. 51F**

F/F full port ball valve with steel T-handle
PN 30. Max temperature 150°C.

Dimension	Code	Price	s. box	m. cart.
1/4"	0051F	€5,31	20	240
3/8"	0151F	€5,03	20	240
1/2"	0251F	€5,74	16	192
3/4"	0351F	€7,97	14	126
1"	0451F	€11,93	8	48
1"1/4	0551F	€18,49	6	36

**BALL VALVES****Art. 560**

M/F full port ball valve with steel handle PVC covered
PN 30. Max temperature 150°C.

Dimension	Code	Price	s. box	m. cart.
1/4"	00560	€5,19	20	240
3/8"	01560	€5,05	20	240
1/2"	02560	€5,87	14	168
3/4"	03560	€7,86	14	126
1"	04560	€11,76	8	48
1"1/4	05560	€18,23	6	36
1"1/2	06560	€21,33	4	24
2"	07560	€47,83	2	16

**BALL VALVES****Art. 56F**

M/F full port ball valve with steel T-handle
PN 30. Max temperature 150°C.

Dimension	Code	Price	s. box	m. cart.
1/4"	0056F	€5,20	20	240
3/8"	0156F	€5,06	20	240
1/2"	0256F	€5,79	16	192
3/4"	0356F	€7,87	14	126
1"	0456F	€11,82	8	48
1"1/4	0556F	€18,58	6	36

**BALL VALVES****Art. 566**

M/M full port ball valve with steel handle PVC covered
PN 30. Max temperature 150°C.

Dimension	Code	Price	s. box	m. cart.
1/2"	02566	€6,54	14	168
3/4"	03566	€9,05	14	126
1"	04566	€13,18	8	48

**BALL VALVES****Art. 566F**

M/M full port ball valve with steel T-handle
PN 30. Max temperature 150°C.

Dimension	Code	Price	s. box	m. cart.
1/2"	02566F	€6,47	16	192
3/4"	03566F	€9,06	14	126
1"	04566F	€13,26	8	48

**BALL VALVES****Art. 569**

M/F full port ball valve with union and steel handle PVC covered. PN 16. Max temperature 95°C.

Dimension	Code	Price	s. box	m. cart.
1/2"	02569	€8,39	12	144
3/4"	03569	€10,43	5	75
1"	04569	€16,06	6	36

**BALL VALVES****Art. 569F**

M/F full port ball valve with union and steel T-handle PN 16. Max temperature 95°C.

Dimension	Code	Price	s. box	m. cart.
1/2"	02569F	€8,30	24	144
3/4"	03569F	€10,42	7	105
1"	04569F	€16,12	8	48

**BALL VALVES****Art. 515**

F/F full port ball valve with drain cock and steel handle PVC covered. PN 16. Max temperature 95°C.

Dimension	Code	Price	s. box	m. cart.
1/2"	02515	€9,23	10	120
3/4"	03515	€11,37	12	108
1"	04515	€15,87	8	48

**BALL VALVES****Art. 515F**

F/F full port ball valve with drain cock and T-handle PN 16. Max temperature 95°C.

Dimension	Code	Price	s. box	m. cart.
1/2"	02515F	€9,16	12	144
3/4"	03515F	€11,38	16	144
1"	04515F	€15,96	6	72

**BALL VALVES****Art. 552**

Insulation valve

PN 6. Max temperature 95°C.

Dimension	Code	Price	s. box	m. cart.
1"	0266	€9,18	12	180

NOTES

--



HEAVY LINE BALL VALVES

Art. 520



HEAVY LINE BALL VALVES

Art. 52F

F/F full port ball valve with steel handle PVC covered
Heavy body. PN 40. Max temperature 150°C.

Dimension	Code	Price	s. box	m. cart.
1/2"	02520	€7,30	14	168
3/4"	03520	€10,07	14	126
1"	04520	€14,87	12	72
1"1/4	05520	€23,72	6	36
1"1/2	06520	€37,06	3	18
2"	07520	€60,24	1	8

F/F full port ball valve with steel T-handle
Heavy body. PN 40. Max temperature 150°C.

Dimension	Code	Price	s. box	m. cart.
1/2"	0252F	€6,99	16	192
3/4"	0352F	€9,85	14	126
1"	0452F	€14,65	12	72
1"1/4	0552F	€23,86	6	36



HEAVY LINE BALL VALVES

Art. 520 SOLAR

Solar F/F full port ball valve with steel handle PVC covered
PN 10. Max temperature 120°C (160°C for 20 sec).

Dimension	Code	Price	s. box	m. cart.
3/4"	03520SOL	€10,54	14	126
1"	04520SOL	€15,56	12	72
1"1/4	05520SOL	€24,78	6	36



MODVLVS LINE
BALL VALVES
Art. 520 ISO

Nickel plated F/F full port ball valve, with insulation T-handl, individual package
 PN 40. Max temperature 120°C.

Dimension	Code	Description	Price	s. box	m. cart.
1/2"	02520ISO	Ball valve art. 520 ISO	€13,60	1	12
3/4"	03520ISO	Ball valve art. 520 ISO	€17,05	1	12
1"	04520ISO	Ball valve art. 520 ISO	€22,78	1	12
1"1/4	05520ISO	Ball valve art. 520 ISO	€32,73	1	12

Attention: the articles "ModvlvS Line " have the same discounts in force on the ModvlvS price list



MODVLVS LINE
BALL VALVES
Art. 520 TER

Nickel plated F/F ball valves with in-handle thermometer, individual package
 PN 40. Max temperature 120°C.

+	Code	Description	Price	s. box	m. cart.
1/2"	02520TER-(R/B)	Ball valve art. 520 TER	€20,10	1	12
3/4"	03520TER-(R/B)	Ball valve art. 520 TER	€23,53	1	12
1"	04520TER-(R/B)	Ball valve art. 520 TER	€29,26	1	12
1"1/4	05520TER-(R/B)	Ball valve art. 520 TER	€39,21	1	12

NOTE - Coded red: TER-R ; Coded blue: TER-B

Attention: the articles "ModvlvS Line " have the same discounts in force on the ModvlvS price list



CHECKBALL BALL VALVES

Art. 620

F/F ball valve with built-in check valve and steel handle PVC covered. PN 16. Max temperature 95°C.

Dimension	Code	Price	s. box	m. cart.
1/2"	02620	€8,76	14	168
3/4"	03620	€11,70	14	126
1"	04620	€16,86	8	48



CHECKBALL BALL VALVES

Art. 62F

F/F ball valve with built-in check valve and asymmetric steel T-handle. PN 16. Max temperature 95°C.

Dimension	Code	Price	s. box	m. cart.
1/2"	0262F	€8,66	16	192
3/4"	0362F	€11,70	14	126
1"	0462F	€16,91	8	48



CHECKBALL BALL VALVES

Art. 660

M/F ball valve with built-in check valve and steel handle PVC covered. PN 16. Max temperature 95°C.

Dimension	Code	Price	s. box	m. cart.
1/2"	02660	€8,82	14	168
3/4"	03660	€11,58	14	126
1"	04660	€16,73	8	48



CHECKBALL BALL VALVES

Art. 66F

M/F ball valve with built-in check valve and asymmetric steel T-handle. PN 16. Max temperature 95°C.

Dimension	Code	Price	s. box	m. cart.
1/2"	0266F	€8,73	16	192
3/4"	0366F	€11,58	14	126
1"	0466F	€16,79	8	48

NOTES

--



**BALL VALVES
FOR WATER METERS
Art. 557**

Ball valve for 1/2" (Qn 1,5) water meters. PN 30. Max temperature 150°C.

<i>Dimension</i>	<i>Code</i>	<i>Price</i>	<i>s. box</i>	<i>m. cart.</i>
1/2" x 3/4" Nut	0328	€9,25	9	135



**BALL VALVES
FOR WATER METERS
Art. 553**

Ball valve for 3/4" (Qn 2,5) water meters. PN 30. Max temperature 150°C.

<i>Dimension</i>	<i>Code</i>	<i>Price</i>	<i>s. box</i>	<i>m. cart.</i>
3/4" x 1" Nut	0319	€13,77	18	108



SIGILBLOCK

Patanted locking device

<i>Dimension</i>	<i>Code</i>	<i>Price</i>	<i>s. box</i>	<i>m. cart.</i>
1st Dimension	DJRW03SET	€5,24	1	100
2nd Dimension	DJRW05SET	€5,24	1	100
3rd Dimension	DJRW07SET	€7,24	1	100



SIGILBLOCK KEY

Key to open Sigilblock

<i>Dimension</i>	<i>Code</i>	<i>Price</i>	<i>s. box</i>	<i>m. cart.</i>
Sole Dimension	DRUCSET	€49,66	1	-



**BALL VALVES
FOR ENERGY METERS
Art. 518**

F/F ball valve with M10x1 connection for temperature sensor. PN 30. Max temperature 150°C.

Dimension	Code	Price	s. box	m. cart.
1/2"	02518	€12,65	30	180
3/4"	03518	€15,91	9	135



**KITS FOR ENERGY METERS
MODVLVS LINE**

Kit for energy meters

Meter	Code		Price	s. box	m. cart.
1/2"	102518	Kit for energy meters 1/2" Qn 1,5	€43,78	1	12
1/2"	102518MID1.5	Kit for energy meters 1/2" Qn 1,5, including energy meter MID	€281,41	1	-
3/4"	103518	Kit for energy meters 3/4" Qn 2,5	€59,73	1	12
3/4"	103518MID2.5	Kit for energy meters 3/4" Qn 2,5, including energy meter MID	€304,46	1	-

Attention: the articles "ModvlvS Line" have the same discounts in force on the ModvlvS price list



BALL VALVES WITH FILTER

Art. 514

F/F ball valve with filter and steel handle PVC covered
PN 16. Max temperature 120°C. Multiple packaging.

Dimension	Code	Price	s. box	m. cart.
1/2"	02514	€27,14	5	75
3/4"	03514	€29,59	5	75
1"	04514	€39,77	8	48
1"1/4	05514	€64,38	4	24



BALL VALVES WITH FILTER MODVLVS LINE

Art. 514

F/F ball valve with filter and steel handle PVC covered
PN 16. Max temperature 120°C. Single packaging.

Dimension	Code	Price	s. box	m. cart.
1/2"	02514/A	€30,15	1	-
3/4"	03514/A	€32,76	1	-
1"	04514/A	€43,88	1	-
1"1/4	05514/A	€70,82	1	-

Attention: the articles "Modvlvs Line" have the same discounts in force on the Modvlvs price list



BALL VALVES WITH FILTER

Art. 514F

F/F ball valve with filter and T-handle
PN 16. Max temperature 120°C.

Dimension	Code	Price	s. box	m. cart.
1/2"	02514F	€26,91	12	72
3/4"	03514F	€29,36	12	72
1"	04514F	€39,55	10	60

NOTES

--



**THERMOSTATIC
CONVERTIBLE
RADIATOR VALVES
TERMOSTAR LINE**

Art. 750VF

Thermostatic radiator angle type valve, with fixed Kvs-value
EN 215 Approved. PN 10. Max temperature 120°C.

Dimension	Code	Price	s. box	m. cart.
3/8"	5001	€9,56	1	152
1/2"	5002	€10,76	1	152



**THERMOSTATIC
CONVERTIBLE RADIATOR
VALVES WITH
PREREGULATION
TERMOSTAR LINE**

Art. 750VR

Thermostatic radiator angle type valve, with adjustable
Kvs-value. PN 10. Max temperature 120°C.

Dimension	Code	Price	s. box	m. cart.
3/8"	5011	€9,69	1	152
1/2"	5012	€10,89	1	152



**THERMOSTATIC
CONVERTIBLE
RADIATOR VALVES
TERMOSTAR LINE**

Art. 755VF

Thermostatic radiator straight type valve, with fixed Kvs-value
EN 215 Approved. PN 10. Max temperature 120°C.

Dimension	Code	Price	s. box	m. cart.
3/8"	5051	€10,09	1	152
1/2"	5052	€11,47	1	152



**THERMOSTATIC
CONVERTIBLE RADIATOR
VALVES WITH
PREREGULATION
TERMOSTAR LINE**

Art. 755VR

Thermostatic radiator straight type valve, with adjustable
Kvs-value. PN 10. Max temperature 120°C.

Dimension	Code	Price	s. box	m. cart.
3/8"	5061	€10,22	1	152
1/2"	5062	€11,60	1	152



**THERMOSTATIC
CONTROL HEAD
TERMOSTAR LINE**

Art. T10

Thermostatic head with gas sensor. EN 215 Approved.

Dimension	Code	Price	s. box	m. cart.
-	5100	€9,30	1	100



**THERMOSTATIC
CONTROL HEAD
TERMOSTAR LINE**

Art. T10H

Heimeier compatible thermostatic head with gas sensor

Dimension	Code	Price	s. box	m. cart.
-	5100BH	€9,84	1	100

NOTES

--